

You should NEVER smother the tick in Petroleum Jelly or any other substance

This can stress the tick causing it to regurgitate infective fluids into your pet causing serious infection

You should NEVER burn the tick

Heat makes the tick salivate, increasing your pet's exposure to pathogens

You should NEVER use your fingers

Infection may enter via any breaks in your skin

You should NEVER squeeze the body of the tick

This may cause its saliva and gut contents to be squeezed back into the bloodstream of your pet




ThinkGreen



Removes the tick quickly and painlessly, minimising the transfer of tick-borne infections.

Teach Them to Twist!

Owners should examine their pets regularly for ticks and remove them using a TICK TWISTER[®].



Quick, Painless and Safe Tick Removal



Invented by Experts



Re-Usable & Recyclable

BE TICK AWARE

Did you know?

Ticks can transmit **Lyme Disease** which is a serious infection to **humans** and **animals**.




Removes the tick quickly and painlessly, minimising the transfer of tick-borne infections.

Tick Twister[®] tick removers are now available in a set of 3:



3 Tick removers including 1 specific for very small ticks!



New MICRO tick remover for larvae and nymphs

ThinkGreen



WHY YOU SHOULD ALWAYS RECCOMEND THE O'TOM TICK TWISTER[®]...



Invented by Experts

Re-Usable & Recyclable

The TICK TWISTER[®] is a
CE Certified Medical
device invented by a
veterinary surgeon

The O'TOM TICK TWISTER[®] is far superior, with a narrower hook that is more effective at gripping, isolating, and removing Ticks in their entirety rather than the wider hook of the unbranded alternative which can result in messy and ineffective removals.

TICK HOT SPOTS



Be prepared for ticks at all times! The handy ClipBox has all the benefits of the original silicone grip handled Tick Twister®. The ClipBox was designed to meet consumer needs who wished for a handy, quick & safe storage device for the Tick Twister®, as well as a clever design to clip it on a key ring or a backpack.

It takes 5-6 hours for a tick to become firmly attached and up to 10 days for it to become fully engaged with blood.

If you find a tick, use a safe method of tick removal such as the TICK TWISTER®